

C | 4ì

x É 9 ÿ ß
x | ä ä
x ³ æ Y »ª — <
x / 6
x ... FN '
x N 96 Ī Ō *'2/ Ü ~g! Ō ~@f Ü ~ F
ç n h
x v Å '



C | 5 é

*(< 9 99 ©ç <Jl ô <Jl DC-DC ô E ~D}k ç ÿ µ 98 9 ~ 15 Vdc k ÿ ß
9 <Jl ož 4 ©ç D}© F 6 Ī Ō *'2/ Ü ~• ò — <ož c ž ... FN ' ¾ © ' š 4 4 . D
} — ž l ô ož

¹ Y æ =

Î Þ Ō 8	Î ' Ō 8 Ÿ	Î Þ Ō W Ÿ	£ Ü Î Þ '	Ĵ ' (1)	¹ Y
24 Vdc	9 ~ 15 Vdc	0 ~ 85 mA	2.04 W	90%	DBV-002S024SS

I u g h y ĩ Ū ^ y <Jl k ç ú g! Ō ~@f † • " hož

Î ' 4ì ×

? d	£ 3 š	À ¹ š	£ Ü š	Ō l
Ÿ µ 98	9 Vdc	-	15 Vdc	
Ÿ µ + v v	-	-	200 mA	<Jl k ç ú

I u ñ Ä Ä @f ® " " † q Ō Ñ ñ O y Á ° > k Ō ð h € " Ū ož

Î Þ 4ì ×

? d	£ 3 š	À ¹ š		Ō l
Ÿ ß 9	-	24 V	-	ç ú
Ÿ ß 9 □ †	-5%Vo	-	5%Vo	ç ú
Ÿ ß v 8	0 mA	-	85 mA	
È Ÿ ß 9 ¼ f (pk-pk)	-	-	2%Vo	ˆ P f ~ 3 . ` k ! Ū ^ k Ÿ ß w Ä f , G - ĩ y f , † ož



DBV-002S024SS

Rev. B

€ 08 DALI « —é 12Vdc Ñ 24Vdc Ñ & —

€ D8 DALI « —é

« — æ =

x æ c	C ¹ Y	Ô I
EBS	EBS-040SxxxBTE	
	EBS-120SxxxBTE	
EUD	EUD-075SxxxBT/BV	
	EUD-150SxxxBTA/BVA	
	EUD-200SxxxBTA/BVA	
	EUD-240SxxxBTA/BVA	

' [b ¢

' X • N	• ¯	' X 5 é		
		• ù	Q	è
2019-02-21	A	G g		
2019-06-13	B	Ü ~ F ç n	EBS-120SxxxBTE EUD-075SXXXBT/BV EUD-200SXXXBTA/BVA EUD-240SXXXBTA/BVA	• í